


Produktgruppe LTBB

Lagerbuchsen aus Polyamid 6.6 mit Bund




Standardfarben

- natur

Material

- Polyamid 6.6 (PA 6.6)



Bestellnummer	d	D	D1	H	L
	mm	mm	mm	mm	mm
LTBB 88061901	6	10	8	2	10
LTBB 88061902	6	15	10	1,5	8
LTBB 88061903	6	15	10	1,5	10
LTBB 88061904	8	16	12	2	6
LTBB 88061905	8	16	12	2	12
LTBB 88061906	10	16	12	2	6
LTBB 88061907	10	16	12	2	12
LTBB 88061908	8	20	14	2	10
LTBB 88061909	8	20	14	2	12
LTBB 88061910	10	20	14	2	10
LTBB 88061911	10	20	14	2	12
LTBB 88061912	12	20	14	2	10
LTBB 88061913	12	20	14	2	12
LTBB 88061914	10	20	16	2	10
LTBB 88061915	10	20	16	2	12
LTBB 88061916	12	20	16	2	10
LTBB 88061917	12	20	16	2	12
LTBB 88061918	13	24	17	4	20
LTBB 88061919	14	24	17	4	20
LTBB 88061920	10	24	18	4	20
LTBB 88061921	12	24	18	4	20
LTBB 88061922	13	28	20	4	20
LTBB 88061923	14	28	20	4	20
LTBB 88061924	15	28	20	4	20
LTBB 88061925	16	28	20	2	15



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

Bestellnummer	d	D	D1	H	L
	mm	mm	mm	mm	mm
LTBB 88061926	16	28	20	4	20
LTBB 88061927	14	30	20	4	20
LTBB 88061928	14	30	20	2	24
LTBB 88061929	15	30	20	4	20
LTBB 88061930	16	30	20	4	20
LTBB 88061931	12	30	22	4	20
LTBB 88061932	14	30	22	4	20
LTBB 88061933	15	30	22	4	20
LTBB 88061934	16	30	22	2	15
LTBB 88061935	16	30	22	4	20
LTBB 88061936	18	30	22	4	20
LTBB 88061937	14	30	24	4	20
LTBB 88061938	16	30	24	2	15
LTBB 88061939	16	30	24	4	20
LTBB 88061940	18	30	24	4	20
LTBB 88061941	20	30	24	2	15
LTBB 88061942	20	30	24	4	20
LTBB 88061943	15	30	25	4	20
LTBB 88061944	16	30	25	4	20
LTBB 88061945	18	30	25	4	20
LTBB 88061946	20	30	25	2	15
LTBB 88061947	20	30	25	4	20
LTBB 88061948	22	30	25	4	20
LTBB 88061949	16	30	26	4	20
LTBB 88061950	18	30	26	4	20
LTBB 88061951	20	30	26	2	12
LTBB 88061952	20	30	26	4	20
LTBB 88061953	22	30	26	4	20
LTBB 88061954	16	32	26	4	20
LTBB 88061955	18	32	26	4	20
LTBB 88061956	20	32	26	2	15
LTBB 88061957	20	32	26	3	20
LTBB 88061958	20	32	26	4	20
LTBB 88061959	22	32	26	4	20
LTBB 88061960	20	34	28	4	20
LTBB 88061961	22	34	28	4	20
LTBB 88061962	20	36	30	3	24
LTBB 88061963	20	36	30	4	24
LTBB 88061964	22	36	30	4	24
LTBB 88061965	24	36	30	4	24
LTBB 88061966	25	36	30	3	20
LTBB 88061967	25	36	30	4	24
LTBB 88061968	22	40	32	4	24
LTBB 88061969	24	40	32	4	24
LTBB 88061970	25	40	32	3	20
LTBB 88061971	25	40	32	4	24
LTBB 88061972	26	40	32	4	24



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

Bestellnummer	d	D	D1	H	L
	mm	mm	mm	mm	mm
LTBB 88061973	28	40	32	4	24
LTBB 88061974	28	40	32	4	30
LTBB 88061975	30	40	32	4	24
LTBB 88061976	30	40	32	4	30
LTBB 88061977	24	45	35	4	24
LTBB 88061978	25	45	35	4	20
LTBB 88061979	25	45	35	4	24
LTBB 88061980	25	45	35	4	30
LTBB 88061981	26	45	35	4	24
LTBB 88061982	28	45	35	4	24
LTBB 88061983	28	45	35	4	30
LTBB 88061984	30	45	35	4	24
LTBB 88061985	30	45	35	4	30
LTBB 88061986	32	45	35	4	24
LTBB 88061987	32	45	35	4	30
LTBB 88061988	25	45	36	4	24
LTBB 88061989	26	45	36	4	24
LTBB 88061990	28	45	36	4	24
LTBB 88061991	30	45	36	4	24
LTBB 88061992	32	45	36	4	24
LTBB 88061993	26	48	38	4	24
LTBB 88061994	28	48	38	4	24
LTBB 88061995	28	48	38	4	30
LTBB 88061996	30	48	38	4	24
LTBB 88061997	30	48	38	4	30
LTBB 88061998	32	48	38	4	30
LTBB 88061999	32	48	38	4	24
LTBB 88062000	28	50	40	4	24
LTBB 88062001	30	50	40	4	24
LTBB 88062002	32	50	40	4	24
LTBB 88062003	32	50	40	4	30
LTBB 88062004	33	50	40	4	24
LTBB 88062006	36	50	40	4	24
LTBB 88062007	32	54	44	5	40
LTBB 88062008	33	54	44	5	40
LTBB 88062009	36	54	44	5	40
LTBB 88062010	38	54	44	5	40
LTBB 88062111	40	54	44	5	40
LTBB 88062112	36	58	48	5	40
LTBB 88062113	38	58	48	5	40
LTBB 88062114	40	58	48	5	40
LTBB 88062115	42	58	48	5	40
LTBB 88062116	38	60	50	5	40
LTBB 88062117	40	60	50	5	40
LTBB 88062118	42	60	50	5	40
LTBB 88062119	40	70	56	5	40
LTBB 88062120	42	70	56	5	40



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

Bestellnummer	d	D	D1	H	L
	mm	mm	mm	mm	mm
LTBB 88062121	45	70	56	5	40
LTBB 88062122	48	70	56	5	40
LTBB 88062123	50	70	56	5	40
LTBB 88062124	50	70	56	5	50
LTBB 88062125	45	70	60	5	40
LTBB 88062126	48	70	60	5	40
LTBB 88062127	50	70	60	5	40
LTBB 88062128	50	70	60	5	50