




Product Group JTM

Adjustable feet made of galvanised steel with hexagonal adjustment screw, swivel base



Material

- Screw: DIN 558-4.6-A2F (zinc-plated)
- Base: zinc-plated steel



Product information

- The feet must be adjusted unloaded.
- The adjustable feet are not suitable as load gliders.
- The load capacity of the screw (buckling length!) may be less than indicated in the table.
- B = with fixing holes
- As mounting aid Torx T20 in the plate (max. torque 3.4 Nm)
- The applicability for automated assembly will be examined by the customer. In the case of standard delivery, there is no guarantee of suitability for automated assembly (range of torque, tolerance limits of thread and more).

Product options on inquiry

- Further thread lengths/sizes
- Stainless steel metal base
- Hexagon socket in thread end (please look at JTM ISK)

Order Number	D	F max.	A	d	H	H1	L	M	WAF
	mm	kg	mm	mm	mm	mm	mm		mm
JTM 30 / M8x16	30	650			6	11,5	16	M8	13
JTM 30 / M8x20	30	650			6	11,5	20	M8	13
JTM 30 / M8x30	30	650			6	11,5	30	M8	13
JTM 30 / M8x40	30	650			6	11,5	40	M8	13
JTM 30 / M8x50	30	650			6	11,5	50	M8	13
JTM 30 / M8x60	30	650			6	11,5	60	M8	13
JTM 30 / M8x70	30	650			6	11,5	70	M8	13
JTM 30 / M8x80	30	650			6	11,5	80	M8	13
JTM 30 / M8x90	30	650			6	11,5	90	M8	13
JTM 30 / M8x100	30	650			6	11,5	100	M8	13
JTM 30 / M8x120	30	650			6	11,5	120	M8	13
JTM 30 / M10x16	30	650			6	12,5	16	M10	17
JTM 30 / M10x20	30	650			6	12,5	20	M10	17
JTM 30 / M10x30	30	650			6	12,5	30	M10	17
JTM 30 / M10x40	30	650			6	12,5	40	M10	17
JTM 30 / M10x50	30	650			6	12,5	50	M10	17
JTM 30 / M10x60	30	650			6	12,5	60	M10	17



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

Order Number	D	F max.	A	d	H	H1	L	M	WAF
	mm	kg	mm	mm	mm	mm	mm		mm
JTM 30 / M10x70	30	650			6	12,5	70	M10	17
JTM 30 / M10x80	30	650			6	12,5	80	M10	17
JTM 30 / M10x90	30	650			6	12,5	90	M10	17
JTM 30 / M10x100	30	650			6	12,5	100	M10	17
JTM 30 / M10x120	30	650			6	12,5	120	M10	17
JTM 40 / M8x16	40	650			6	11,5	16	M8	13
JTM 40 / M8x20	40	650			6	11,5	20	M8	13
JTM 40 / M8x30	40	650			6	11,5	30	M8	13
JTM 40 / M8x40	40	650			6	11,5	40	M8	13
JTM 40 / M8x50	40	650			6	11,5	50	M8	13
JTM 40 / M8x60	40	650			6	11,5	60	M8	13
JTM 40 / M8x70	40	650			6	11,5	70	M8	13
JTM 40 / M8x80	40	650			6	11,5	80	M8	13
JTM 40 / M8x90	40	650			6	11,5	90	M8	13
JTM 40 / M8x100	40	650			6	11,5	100	M8	13
JTM 40 / M8x120	40	650			6	11,5	120	M8	13
JTM 40 / M10x16	40	650			6	12,5	16	M10	17
JTM 40 / M10x20	40	650			6	12,5	20	M10	17
JTM 40 / M10x30	40	650			6	12,5	30	M10	17
JTM 40 / M10x40	40	650			6	12,5	40	M10	17
JTM 40 / M10x50	40	650			6	12,5	50	M10	17
JTM 40 / M10x60	40	650			6	12,5	60	M10	17
JTM 40 / M10x70	40	650			6	12,5	70	M10	17
JTM 40 / M10x80	40	650			6	12,5	80	M10	17
JTM 40 / M10x90	40	650			6	12,5	90	M10	17
JTM 40 / M10x100	40	650			6	12,5	100	M10	17
JTM 40 / M10x120	40	650			6	12,5	120	M10	17
JTM 50 / M8x16	50	650			6	11,5	16	M8	13
JTM 50 / M8x20	50	650			6	11,5	20	M8	13
JTM 50 / M8x30	50	650			6	11,5	30	M8	13
JTM 50 / M8x40	50	650			6	11,5	40	M8	13
JTM 50 / M8x50	50	650			6	11,5	50	M8	13
JTM 50 / M8x60	50	650			6	11,5	60	M8	13
JTM 50 / M8x70	50	650			6	11,5	70	M8	13
JTM 50 / M8x80	50	650			6	11,5	80	M8	13
JTM 50 / M8x90	50	650			6	11,5	90	M8	13
JTM 50 / M8x100	50	650			6	11,5	100	M8	13
JTM 50 / M8x120	50	650			6	11,5	120	M8	13
JTM 50 / M10x16	50	650			6	12,5	16	M10	17
JTM 50 / M10x20	50	650			6	12,5	20	M10	17
JTM 50 / M10x30	50	650			6	12,5	30	M10	17
JTM 50 / M10x40	50	650			6	12,5	40	M10	17
JTM 50 / M10x50	50	650			6	12,5	50	M10	17
JTM 50 / M10x60	50	650			6	12,5	60	M10	17
JTM 50 / M10x70	50	650			6	12,5	70	M10	17
JTM 50 / M10x80	50	650			6	12,5	80	M10	17
JTM 50 / M10x90	50	650			6	12,5	90	M10	17



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

Order Number	D	F max.	A	d	H	H1	L	M	WAF
	mm	kg	mm	mm	mm	mm	mm		mm
JTM 50 / M10x100	50	650			6	12,5	100	M10	17
JTM 50 / M10x120	50	650			6	12,5	120	M10	17
JTMB 40 / M8x16	40	650	29	4	6	11,5	16	M8	13
JTMB 40 / M8x20	40	650	29	4	6	11,5	20	M8	13
JTMB 40 / M8x30	40	650	29	4	6	11,5	30	M8	13
JTMB 40 / M8x40	40	650	29	4	6	11,5	40	M8	13
JTMB 40 / M8x50	40	650	29	4	6	11,5	50	M8	13
JTMB 40 / M8x60	40	650	29	4	6	11,5	60	M8	13
JTMB 40 / M8x70	40	650	29	4	6	11,5	70	M8	13
JTMB 40 / M8x80	40	650	29	4	6	11,5	80	M8	13
JTMB 40 / M8x90	40	650	29	4	6	11,5	90	M8	13
JTMB 40 / M8x100	40	650	29	4	6	11,5	100	M8	13
JTMB 40 / M8x120	40	650	29	4	6	11,5	120	M8	13
JTMB 40 / M10x16	40	650	29	4	6	12,5	16	M10	17
JTMB 40 / M10x20	40	650	29	4	6	12,5	20	M10	17
JTMB 40 / M10x30	40	650	29	4	6	12,5	30	M10	17
JTMB 40 / M10x40	40	650	29	4	6	12,5	40	M10	17
JTMB 40 / M10x50	40	650	29	4	6	12,5	50	M10	17
JTMB 40 / M10x60	40	650	29	4	6	12,5	60	M10	17
JTMB 40 / M10x70	40	650	29	4	6	12,5	70	M10	17
JTMB 40 / M10x80	40	650	29	4	6	12,5	80	M10	17
JTMB 40 / M10x90	40	650	29	4	6	12,5	90	M10	17
JTMB 40 / M10x100	40	650	29	4	6	12,5	100	M10	17
JTMB 40 / M10x120	40	650	29	4	6	12,5	120	M10	17
JTMB 50 / M8x16	50	650	36	5	6	11,5	16	M8	13
JTMB 50 / M8x20	50	650	36	5	6	11,5	20	M8	13
JTMB 50 / M8x30	50	650	36	5	6	11,5	30	M8	13
JTMB 50 / M8x40	50	650	36	5	6	11,5	40	M8	13
JTMB 50 / M8x50	50	650	36	5	6	11,5	50	M8	13
JTMB 50 / M8x60	50	650	36	5	6	11,5	60	M8	13
JTMB 50 / M8x70	50	650	36	5	6	11,5	70	M8	13
JTMB 50 / M8x80	50	650	36	5	6	11,5	80	M8	13
JTMB 50 / M8x90	50	650	36	5	6	11,5	90	M8	13
JTMB 50 / M8x100	50	650	36	5	6	11,5	100	M8	13
JTMB 50 / M8x120	50	650	36	5	6	11,5	120	M8	13
JTMB 50 / M10x16	50	650	36	5	6	12,5	16	M10	17
JTMB 50 / M10x20	50	650	36	5	6	12,5	20	M10	17
JTMB 50 / M10x30	50	650	36	5	6	12,5	30	M10	17
JTMB 50 / M10x40	50	650	36	5	6	12,5	40	M10	17
JTMB 50 / M10x50	50	650	36	5	6	12,5	50	M10	17
JTMB 50 / M10x60	50	650	36	5	6	12,5	60	M10	17
JTMB 50 / M10x70	50	650	36	5	6	12,5	70	M10	17
JTMB 50 / M10x80	50	650	36	5	6	12,5	80	M10	17
JTMB 50 / M10x90	50	650	36	5	6	12,5	90	M10	17
JTMB 50 / M10x100	50	650	36	5	6	12,5	100	M10	17
JTMB 50 / M10x120	50	650	36	5	6	12,5	120	M10	17



Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte